

# Safety data sheet (SDS)

acc. (EU) No 1907/2006/EC and (EU) No 453/2010

## Rigips ProFinish

### 1 Identification of the mixture and the company

#### 1.1 Product identifier

**Rigips ProFinish**

#### 1.2 Relevant identified uses of the mixture and uses advised against

Air-drying plaster for joints and wall finish for internal application.

#### 1.3 Details of the supplier of the safety data sheet

Saint-Gobain Rigips Austria GesmbH  
Wiener Neustädterstraße 63  
A-2734 Puchberg, Austria

Telephone no. +43 (0)2636 2203-616

Fax no. +43 (0)2636 2203-625

#### Responsible person

Sandra Wirkner, PhD  
e-mail: sandra.wirkner@saint-gobain.com

#### 1.4 Emergency telephone number

For medical advice: +43 (0)1 406 43 43 (Vergiftungsinformationszentrale Vienna)

### 2 Hazards identification

#### 2.1 Classification of the substance on ingredients

**Acc. to Directive 1999/45/EC**  
Not classified as dangerous.

**Acc. to CLP-Regulation (EC) No. 1272/2008**  
Not classified as hazardous.

#### 2.2 Label elements

**Acc. to Directive 1999/45/EC**  
Not labelled.

**Acc. to CLP-Regulation (EC) No. 1272/2008**  
Not labelled.

#### 2.3 Other hazards

Dust In high concentration may irritate respiratory system.

### 3 Composition / information on ingredient

#### 3.2 Mixture

##### Description

ProFinish is a mixture of mineral fillers and nonhazardous additives

No classification acc. to Regulation 67/548/EC and CLP-Directive (EU) 1278/2008  
No maximum allowed workplace concentration values of the single components.

### 4 First aid measures

#### 4.1 Description of first aid measures

##### General information

In case of eye contact, follow the given instruction immediately.

## Rigips ProFinish

### After inhalation

Ensure supply of fresh air. In case of shortage of breath, provide oxygen. If unconscious place in recovery position and seek medical advice

### After skin contact

Wash off immediately with soap and water. When needed use skin crème. In case of skin irritation contact a dermatologist

### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water or using a flask containing sterile sodium chloride solution for at least 15 minutes, holding the eyelids apart. At any times seek medical advice by an oculist.

### After ingestion

Drink plenty of water and seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No specific symptoms or effects have been reported.

#### 4.3 Identification of any immediate medical attention and special treatment needed

Not applicable.

## 5 Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Adjust to surrounding.

#### Extinguishing media that must not be used for safety reasons

None

### 5.2 Special hazards arising from the mixture

None

#### Special protective equipment for fire-fighters

None

### 5.3 Advice for fire-fighters

None

## 6 Accidental release measures

### 6.1 Personal precaution, protective equipment and emergency procedures

Avoid contact with eyes and skin. Use protective goggles and gloves. Follow protective measures given in Section 7 and 8.

### 6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for contained and cleaning up

Take up spilled product in dry condition. In water dispersed product hardens in contact with air. (see Section 13).

### 6.4 Reference to other sections

Protective measures in Section 8

Disposal in Section 13

## 7 Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Keep container tightly closed to avoid dust.

## Rigips ProFinish

### 7.2. Conditions for safe storage, including any compatibilities

#### Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking.

#### Requirements for storage rooms and vessels

Store in dry condition and avoid humidity. Seal open bags. Keep only in the original container. Avoid container of light metal.

#### Recommended storage temperature

Room temperature

### 7.3 Specific end use

Air-drying plaster for interior application.

## 8 Exposure controls / personal protection

### 8.1 Control parameters

Occupational exposure limits according Austrian Grenzwertverordnung 2007

Dust, inhalable	10 l / 20 l mg/m <sup>3</sup>	5 R / 10 R mg/m <sup>3</sup>
I Inhalable		R Respirable

### 8.2 Exposure controls / personal protection

#### General protective and hygiene measures

Follow the general protection measures for handling chemicals. Do not eat or drink during work - no smoking. After completion of tasks, the affected skin areas must be thoroughly cleaned. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin.

#### Respiratory protection

Use dusk masks in dusty or insufficiently ventilated condition.

#### Skin protection

When an irritation has to be expected, use protective gloves. Design operations thus to avoid permanent use of protective gloves.

#### Eye protection

With risks of spills, tightly fitting safety glasses (EN 166).

#### Personal protection

Standard work ware

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Powder
Colour	Off-white
Odour	Odourless

#### Important health, safety and environmental information

##### Bulk density

Value	Approx.	1000 kg/m <sup>3</sup>
Reference temperature		20 °C

##### Solubility in water

Hardly soluble



## Rigips ProFinish

### 13 Disposal considerations

#### 13.1 Waste treatment methods

Product is not allowed to discharge into aquatic environment, drains or sewage treatment plants.

Waste code 31418 (ÖNORM S 2100)

Waste name Dusts arising from burnishing

#### European Waste Catalogue

010408 (Waste gravel and crushed rocks)

Remark: The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

#### Packaging

Non-contaminated packages may be recycled.

### 14 Transport information

Not classified as dangerous in terms of transport regulations

14.1 UN number	Not to apply
14.2 UN proper shipping name	Not to apply
14.3 Transport hazard class	Not to apply
14.4 Packing group	Not to apply
14.5 Environmental hazard	Not to apply
14.6 Special precaution for users	Not to apply
14.7 Transport in bulk acc. to Annex II of MARPOL- 73/78 and the IBC-Code	Not to apply

### 15 Regulatory information

#### 15.1 Safety, health and environment regulations / legislation specific for the mixture

This SDS complies with Regulation (EC) No 1907/2006 (REACH).

#### National regulations:

##### Austria

The product is not classified as hazardous according to ChemV 1996. Labelling as hazardous is not required according to Directive 1999/45/EC and CLP-Regulation (EC) No. 1272/2008.

##### Germany

Not hazardous to water acc. VwVwS of 17.05.1999/Annex 1.

#### 15.2 Chemical safety assessment

Of the product no safety assessment has been accomplished.

## Rigips ProFinish

### 16 Other information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, processing, transport and disposal. It is not a guarantee of product properties and no legal right is constituted. The classification according to Directive 1999/45/EC and Regulation (EC) No 1272/2008 is based on the evaluation of single components according Annex 6 of the Regulation (EC) No 1272/2008 and information of the supplier. This SDS is a translation of the German version and refers to the legal requirements in Austria.

#### Issuer of the SDS

Saint-Gobain Rigips Austria GesmbH  
Laboratory Puchberg  
Wiener Neustädterstr. 63, 2734 Puchberg, Austria  
Telephone: +43 (0)2636 2203-616 Fax: +43 (0)2636 2203-625  
e-mail: Labor.Puchberg@saint-gobain.com

Version No. 1

