



Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name RIMANO 3-6

Safety data sheet no.: XXP016689

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Plaster surfacer

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Austria GmbH Wiener Neustaedterstrasse 63

A-2734 Puchberg

Austria

Phone: +43 (0)2636 2203-0

Labor.Puchberg@saint-gobain.com

1.4 Emergency telephone number:

Vergiftungsinformationszentrale Wien

(Poison Centre Vienna)

Tel. +43 / 1 / 406 43 43

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

calcium dihydroxide

Hazard statements

H318 Causes serious eye damage.

(Contd. on page 2)





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 1)

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards Dust in high concentration can irritate the respiratory system.

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
EINECS: 231-900-3	calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2) substance with a Community workplace exposure limit	75-100%
CAS: 471-34-1	calcium carbonate substance with a Community workplace exposure limit	5-10%
	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	1%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately rinse with water.

Generally the product does not irritate the skin.

(Contd. on page 3)



Page 3/11

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 2)

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

The product is not combustible.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in dry conditions.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs	0.40.0 a a la i com a colo la	ata different hadrete levele 0.004 as a 1100 (a = 0.4/0.0)
	<u> </u>	ate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
Oral	Derived No Effect Le	vel 1.52 mg/kgxday (consumer systemic long term value)
		11.4 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Le	vel 21.17 mg/m³ (worker systemic long term value)
		5,082 mg/m³ (worker systemic short term value)
		5.29 mg/m³ (consumer systemic long term value)
		3,811 mg/m³ (consumer systemic short term value)
CAS: 471-	34-1 calcium carbon	ate
Inhalative	Derived No Effect Le	vel 6.36 mg/m³ (worker local long term value)
		1.06 mg/m³ (consumer local long term value)
CAS: 130	5-62-0 calcium dihyd	roxide
Inhalative Derived No Effect Level		vel 4 mg/m³ (worker local short term value)
		1 mg/m³ (worker local long term value)
		1 mg/m³ (consumer local long term value)
		4 mg/m³ (consumer local short term value)
PNECs		
CAS: 130	5-62-0 calcium dihyd	roxide
Predicted	No-Effect Concentrati	on 9.32 mg/l (sea water rating factor)
		0.49 mg/l (fresh water rating factor)
CAS No	o. Designation of ma	terial % Type Value Unit
CAS: 7778	8-18-9 calcium sulph	ate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
AGW (Ge	3,	term value: 6 A mg/m³
	DFG	

EUG





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

		(Contd. of page 4)
LEP (Sp	ain)	Long-term value: 10 mg/m³ e	
TWA (Ita	aly)	Long-term value: 10 mg/m³ (i)	
VLE (Po	rtugal)	Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais	
CAS: 47	1-34-1 calcium o	carbonate	1
LEP (Sp	ain)	Long-term value: 10 mg/m³	1
TWA (Ita	aly)	Long-term value: (10) mg/m³ (e)	
VLE (Po	rtugal)	Long-term value: (10) mg/m³ (Irritação)	
CAS: 13	05-62-0 calcium	dihydroxide	1
IOELV (I	European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
AGW (G	sermany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG	
GV (Der	nmark)	Long-term value: 5 1* mg/m³ E; *respirabel fraktion	
LEP (Sp	ain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d	
TWA (Ita	aly)	Long-term value: 5 mg/m³	
VL (Italy)	Short-term value: 4* mg/m³ Long-term value: 1* mg/m³ *frazione toracica	
VLE (Po	rtugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea	
OEL (Sv	veden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	
HTP (Fir	nland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	

Additional Occupational Exposure Limit Values for possible hazards during processing:

Total inhalable dust: 10 mg/m³ Respirable dust (< 5 µm): 4 mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)





Revision: 28.02.2022 Printing date 28.02.2022 Version number 1

Trade name RIMANO 3-6

(Contd. of page 5)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection Protective gloves.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Eve/face protection Tightly sealed goggles **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Solid. Colour: Light grey Odour: Nearly odourless **Odour threshold:** Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Flash point: Not applicable Ignition temperature: Not determined. **Decomposition temperature:** Not determined.

pH at 20 °C >11.5

Viscosity:

Kinematic viscosity Not applicable. dynamic: Not applicable.

Solubility

Water: Soluble

Hardens when in contact with water.

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable.

Density and/or relative density

Density: Not applicable. Relative density Not determined. **Bulk density:** 850 kg/m3 Vapour density Not applicable. Particle characteristics See item 3.

(Contd. on page 7)





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 6)

9.2 Other information

Appearance:

Form: Solid.

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

EU-VOC (%) 0.0000 % EU-VOC (g/L) 0.0000 g/l Solids content: 100.0 %

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not applicable.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

Substances and mixtures, which emit
flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid

Avoid water ingress/moisture during storage (the product will react with moisture and harden).

(Contd. on page 8)





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 7)

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Type Value Species
CAS: 77	778-18	9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
Oral	LD50	>2,000 mg/kg (Rat)
CAS: 47	71-34-1	calcium carbonate
Oral	LD50	6,450 mg/kg (Rat)
Dermal	LD50	6,450 mg/kg (Rat)
CAS: 13	305-62	-0 calcium dihydroxide
Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>2,500 mg/kg (Rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of tes	t Effective concentration Method Assessment
CAS: 7778-	18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
LC50/48h	>79 mg/l (Daphnia magna)
LC50/96h	>79 mg/l (Oryzias latipes (Japanese medaka))
EC50/72h	>79 mg/l (Selenastrum capricornutum (Green algae))
CAS: 471-3	4-1 calcium carbonate
EC50/72h	14 mg/l (Algae)
	(Contd. on page 9)

Contd. on page 9





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

	(Contd. of page 8)
CAS: 1305-6	2-0 calcium dihydroxide
LC50/96h	158 mg/l (Daphnia magna)
	>50.6 mg/l (Fish)
EC50/48h	49.1 mg/l (Daphnia magna)
EC50/72h	184.57 mg/l (Algae)
NOEC (14d)	32 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

The product contains substances which causes severe clouding in water

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment
CAS: 7778-18-9 calcium sulphate, different hydrate levels CaSO4 x n H2O (n = 0; 1/2; 2)
EC 50 (3h) >1,000 mg/l (Activated sludge)
CAS: 1305-62-0 calcium dihydroxide
EC 50 (3h) 300.4 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
HP4	Irritant - skin irritation and eye damage

(Contd. on page 10)





Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 9)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Thoroughly shake out sacks.

14.1 UN number or ID number	
ADR, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accord	ing to
IMO instruments	Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)



Page 11/11

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022 Version number 1 Revision: 28.02.2022

Trade name RIMANO 3-6

(Contd. of page 10)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: Labor Puchberg

Contact:

Aistova Mava

+43 (0)2636 2203-615

Labor.Puchberg@saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3